

# Central Iowa Code Consortium - Code Proposal Form

Note - Each code section proposal must be submitted on a separate form

Name: \*

Mike Minnick

---

Organization

---

Email Address \*

mrminnick@dmgov.org

---

Confirm Email Address \*

mrminnick@dmgov.org

---

Phone \*

515-237-1462

---

Code Book \*

Resource for code content - <https://codes.iccsafe.org/public/collections/I-Codes>

IMC - International Mechanical Code



## Code Section \*

See example below. DO NOT INCLUDE ANY LEADING ALPHA CHARACTERS! Resource for code language - <https://codes.iccsafe.org/public/collections/I-Codes>

508.1.1

---

## Is this an Appendix Chapter? \*

Yes

No

## If yes, which appendix?

Allowing Alpha Characters

---

## Code Section Example

### ~~X~~101.1 Title.

These provisions shall be known as the *Residential Code for One- and Two-family Dwellings* of **[NAME OF JURISDICTION]**, and shall be cited as such and will be referred to herein as "this code."

### ~~X~~101.2 Scope.

The provisions of the *International Residential Code for One- and Two-family Dwellings* shall apply to the construction, *alteration*, movement, enlargement, replacement, repair, *equipment*, use and occupancy, location, removal and demolition of detached one- and two-family dwellings and *townhouses* not more than three stories above *grade plane* in height with a separate means of egress and their *accessory structures* not more than three stories above *grade plane* in height.

## Type of proposal \*

Amend - Edit current section - change words | Delete - Remove section | Insert - Add text to existing section

Amend

Delete

Insert

## Amend

### Existing Text \*

Full text as it is printed in the Code. Book Resource for code language -

<https://codes.iccsafe.org/public/collections/I-Codes>

508.1.1 Makeup air temperature. The temperature differential between makeup air and the air in the conditioned space shall not exceed 10°F (6°C) except where the added heating and cooling loads of the makeup air do not exceed the capacity of the HVAC system.

---

### Proposed Text \*

All kitchen make up air shall be tempered. Exception: Unless a 3rd party test and balance report is submitted to local jurisdiction verifying the kitchen HVAC system is capable of handling the additional load created by non-tempered make up air.

---

## Delete

This text is being proposed to be struck from the adopted code.

### Existing Text to be struck \*

Resource for code language - <https://codes.iccsafe.org/public/collections/I-Codes>

---

## Insert

This text is being proposed to be added to the 2018 International Code for adoption by local municipalities.

Provide your new proposed code to be added to the existing code as cited above. \*

---

## Justification for Proposal

Provide reason to support your proposal based on the safety impact, enforceability, cost effectiveness, or unique location conditions

### Justification \*

This would help ensure the comfort level of the kitchen is met for staff usage and that local jurisdictions would not have to rely on the kitchen hood installer stating that "the non-tempered make up air won't increase the temperature within the space more than 10 degrees."

---

This content is neither created nor endorsed by Google.

Google Forms