

Documentation Proposal For Compliance with 2012 Iowa IECC

SINGLE FAMILY

Prescriptive Path –

- Permit Stage
 - Checklist indicating all items pertinent to 2012 IECC have been addressed in the plans.
 - Name of Company/Individual that will be completing all required inspections, testing and verification.
- Final Stage (Must have documentation prior to releasing Certificate of Occupancy and or utilities.)
 - Documentation from Company/Individual indicating date and results of all required inspections and testing. Must indicate that all pertinent items in 2012 IECC have been met. Must be signed by inspector responsible for documentation.
 - All failures must be indicated and the date each was addressed.

UA Trade Off –

- Permit Stage
 - RESCheck Checklist indicating all items pertinent to 2012 IECC have been addressed in the plans. Must be signed.
 - Name of Company/Individual that will be completing all required inspections, testing and verification.
- Final Stage (Must have documentation prior to releasing Certificate of Occupancy and or utilities.)
 - Completed RESCheck Checklist. Must be signed.
 - All failures must be indicated and the date each was addressed.

Performance Path –

- Permit Stage
 - Approved Software Checklist indicating all items pertinent to 2012 Iowa IECC have been addressed in the plans. Must be signed.
 - 2012 Iowa Energy Cost Compliance Report
- Final Stage (Must have documentation prior to releasing Certificate of Occupancy and or utilities.)
 - 2012 Iowa Energy Code Certificate / Signed and Dated

**All pathways require Manual J, D, S be submitted*

MULTI-FAMILY 3-STORIES OR LESS

Prescriptive Path –

- Permit Stage
 - Checklist indicating all items pertinent to 2012 IECC have been addressed in the plans.
 - Name of Company/Individual that will be completing all required inspections, testing and verification.
 - MUST INDICATE NUMBER AND TYPE OF TESTING TO BE COMPLETED
 - Whole Building Testing
 - Floor by Floor Testing
 - Individual Unit Testing
- Final Stage (Must have documentation prior to releasing Certificate of Occupancy and or utilities.)
 - Documentation from Company/Individual indicating date and results of all required inspections and testing. Must indicate that all pertinent items in 2012 IECC have been met. Must be signed by inspector responsible for documentation.
 - All failures must be indicated and the date each was addressed.

UA Trade Off –

- Permit Stage
 - RESCheck Checklist indicating all items pertinent to 2012 IECC have been addressed in the plans. Must be signed.
 - Name of Company/Individual that will be completing all required inspections, testing and verification.
 - MUST INDICATE NUMBER AND TYPE OF TESTING TO BE COMPLETED
 - Whole Building Testing
 - Floor by Floor Testing
 - Individual Unit Testing
- Final Stage (Must have documentation prior to releasing Certificate of Occupancy and or utilities.)
 - Completed RESCheck Checklist. Must be signed.
 - All failures must be indicated and the date each was addressed.
 - Documentation indicating testing results

Performance Path –

- Permit Stage
 - Approved Software Checklist indicating all items pertinent to 2012 Iowa IECC have been addressed in the plans. Must be signed.
 - 2012 Iowa Energy Cost Compliance Report
 - MUST INDICATE NUMBER AND TYPE OF TESTING TO BE COMPLETED
 - Whole Building Testing
 - Floor by Floor Testing
 - Individual Unit Testing
- Final Stage (Must have documentation prior to releasing Certificate of Occupancy and or utilities.)
 - 2012 Iowa Energy Code Certificate / Signed and Dated

**All pathways require Manual J, D, S be submitted*

MULTI-FAMILY 4-STORIES OR MORE

- Permit Stage
 - COMCheck Checklists indicating all items pertinent to 2012 IECC have been addressed in the plans.
 - Envelope
 - Lighting
 - Mechanical
 - Name of Company/Individual that will be completing all required inspections, testing and or verification.
- Final Stage (Must have documentation prior to releasing Certificate of Occupancy and or utilities.)
 - Completed and Signed COMCheck Checklists
 - Envelope
 - Lighting
 - Mechanical
 - All failures must be indicated and the date each was addressed.

**Manual J, D, S be submitted for residential units*

MIXED-USE

- Permit Stage
 - COMCheck Checklists indicating all items pertinent to 2012 IECC have been addressed in the plans.
 - Envelope
 - Lighting
 - Mechanical
 - Name of Company/Individual that will be completing all required inspections, testing and or verification.
- Final Stage (Must have documentation prior to releasing Certificate of Occupancy and or utilities.)
 - Completed and Signed COMCheck Checklists
 - Envelope
 - Lighting
 - Mechanical
 - All failures must be indicated and the date each was addressed.

**Manual J, D, S be submitted for residential units*